




TIMBER

Fräsch was founded on the belief that creating healthy and beautiful office environments leads to a happier and highly motivated workforce.



TIMBER

Acoustic Ceiling Baffle

Whether it be a single unit suspended over a workstation or a cluster of units suspended in an almost unlimited array of patterns, levels and angles, Timber is sure to create a modern expression of creative freedom in acoustic ceiling design.

Timber can be used to define individual spaces as clusters or arranged to encompass entire ceiling footprints in almost any desired pattern or orientation that creativity can allow offering an extraordinary degree of uniqueness to every installation.

Application Ceiling Suspended

Timber Components Medium: 39" L X 16" DIA
Large: 81" L x 16" DIA

Material Content 9 mm 100% PET (55% recycled content)

Flammability ASTM E84 Class A or B

Acoustics

NRC 0.35 0.54 0.85 1.22 0.75

NRC rating is based on one full sheet of 9mm PET material

Environment Low VOC;
Post-Consumer Recycled Content
100% Recyclable

Installation

TIMBER is suspended from the ceiling. Product is assembled by customer using built in friction slots. Hardware for mounting to the ceiling will utilize our spike bracket, griplock, and aircraft cable mounting.

Hardware Spike bracket, griplock, and aircraft cable mounting method.

Country of Origin USA

Warranty 2 Years

Designed by
1six8

fräsch!

609 112th Street, Suite A
Arlington, TX 76011

TIMBER

Dimensions

Timber Medium and Large

