



CANOE BAFL

Fräsch was founded on the belief that creating healthy and beautiful office environments leads to a happier and highly motivated workforce.



CANOE BAFL

Acoustical Canoe Ceiling Baffle

The subtle fluid movement of this baffle creates a relaxing yet interesting ceiling treatment. The shape and construction of the CANOE BAFL creates a larger internal air cavity for improved sound absorption performance.

Application Ceiling Suspended

	L	W	H	WEIGHT
SM CANOE BAFL	48"	7.5"	9"	3 lbs.
LG CANOE BAFL	94"	7.5"	9"	6 lbs.

Custom sizing available

Hardware

Default: Threaded Rod, Coupling Nut and Cable Gripper

Unistrut*: Unistrut, Cone Nut Assembly, Threaded Rod/Aircraft Cable, Coupler Nut, Griplock

Drop Ceiling*: T-Bar Clip/Magnet, Coupler Nut, Hanger Bolt, Spike Bracket

* Available Upon Request

Material Content 9 mm 100% PET (55% recycled content)

Flammability ASTM E84 Class A or B

Acoustics

Frequency (Hz)	250	500	1K	2K	NRC
NRC	0.86	1.70	2.26	2.77	1.90
Sabins per m ²	2.43	4.78	6.36	7.82	

Test was conducted while product was in its actual installation setting.

All NRC testings assumes one face/one object and does not account for the product thickness.

Environment

Low VOC;
Post-Consumer Recycled Content
100% Recyclable

Installation

The CANOE BAFL comes with two perfectly placed and pre-installed T-Nuts for easy connectivity and quick install. Threaded Rod, Coupling Nut and Cable Grippers are included. The ceiling fastener is provided by an installer based of a ceiling type.

Country of Origin

USA


Warranty

2 Years

fräsch!

609 112th Street, Suite A
Arlington, TX 76011

CANOE BAFL Dimensions



* Two-year limited warranty guarantees all of our products are free from defects in the materials and maintain their quality of craftsmanship. See our two-year warranty sheet for full details.