



STRATA VW

Move beyond the ordinary slat wall. Strata VW breaks from repetition with a dynamic pattern of variable-width, real wood veneer slats - creating a richer architectural rhythm with more movement, depth, and visual interest.



STRATA VW

Acoustic Panel with Linear Wood Slats

Application Ceiling and Wall Acoustic Panel

Panel Format	2' x 8' (600mm x 2400mm)
Slatted Coverage Width	23.46 in (596mm)
Overall Panel Thickness	0.87 in (22mm)
Slat / Wood Veneer Layer	0.51 in (13mm) MDF core
Acoustic Backer	0.36 in (9mm) Black PET Felt
Slat Pattern	15mm, 30mm, 45mm
Panel Weight	22 lb

Hardware

Default: STRATA VW comes ready to glue or nail to ceiling or wall

Finishes

Three real wood veneer tones, each engineered on the same variable-width slat pattern and PET felt-backed panel for consistent performance across your palette.



Light Oak
Bright, open grain with warm blonde tones - reads airy and Scandinavian, ideal for lightening a space.



Medium Walnut
Balanced mid-tone brown with visible grain movement - the versatile middle ground for most interiors.



Dark Oak
Deep, moody espresso tone with rich contrast - grounds a room with dramatic architectural presence

Note on wood veneer: As a natural material, grain pattern and tone will vary from panel to panel and from the samples shown here. Slight color variation between production runs is inherent to real wood veneer and is not considered a defect.

Acoustics

Strata VW (22mm) no air gap: NRC = 0.55

Strata VW (22mm) 1" air gap: NRC = 0.70

Strata VW (22mm) 2" air gap: NRC = 0.80

Test reflects material ratings.

All NRC testing assumes one face/one object and does not account for the product thickness.

Environment

PET utilizes 55% Post-Consumer Recycled

Content and is 100% recyclable

Low VOC

CARB-approved TPC

FSC Chain of Custody Certified

Installation

Substrate

Cutting & fit Suitable for direct application to drywall, plywood, or other flat, structurally sound substrates.

Fastening

Apply construction adhesive across the PET backer, or fasten through the backer into studs with drywall screws.

Cutting & Fit

Trim to width or height on site with a track saw, miter saw, or standard trim carpentry tools.

Warranty

2 Years

Flammability


ASTM E84 Class B

fräsch!

09.2026

STRATA VW

AVAILABLE DIMENSIONS



* Two-year limited warranty guarantees all of our products are free from defects in the materials and maintain their quality of craftsmanship. See our two-year warranty sheet for full details.