



TRI BAFL

Fräsch was founded on the belief that creating healthy and beautiful office environments leads to a happier and highly motivated workforce.



TRI BAFL

Acoustical Triangle Ceiling Baffle

TRI BAFL provides the same exceptional sound performance as our classic baffles in an upgraded, unique design. The triangular geometry presents clean angles that can be positioned in numerous ways, creating a custom aesthetic. Pre-installed brackets and included hardware make for easy installation.

Application Ceiling Suspended

	L	W	H	WEIGHT
TRI BAFL	47.25"	4"	14"	2.8 lbs.
TRI BAFL	95"	4"	14"	5.6 lbs.

Custom sizing available

Hardware

Default: 18mm Spike Bracket, Griplock, Aircraft Cable/Threaded Rod

Unistrut*: Unistrut, Cone Nut Assembly, Threaded Rod/Aircraft Cable, Coupler Nut, Griplock

Drop Ceiling*: T-Bar Clip/Magnet, Coupler Nut, Hanger Bolt, Spike Bracket

* Available Upon Request

Material Content 9 mm 100% PET (55% recycled content)

Flammability ASTM E84 Class A or B

Acoustics

Frequency (Hz)	250	500	1K	2K	NRC
NRC	0.57	0.90	1.36	1.61	1.10
Sabins per m ²	4.45	7.05	10.62	12.61	

Test was conducted while product was in its actual installation setting.

All NRC testings assumes one face/one object and does not account for the product thickness.

Environment

Low VOC;
Post-Consumer Recycled Content
100% Recyclable

Installation

TRI BAFL comes with two perfectly placed and pre-installed 18mm Brackets for easy connectivity and quick install. Griplocks and Aircraft Cable are included. The ceiling fastener is provided by an installer.

Country of Origin

USA

Warranty

2 Years

fräsch!

609 112th Street, Suite A
Arlington, TX 76011

TRI BAFL Dimensions

