



WAFL BAFL

Fräsch was founded on the belief that creating healthy and beautiful office environments leads to a happier and highly motivated workforce.



WAFL BAFL

Acoustical Wafel Ceiling Baffle

WAFL BAFL is an acoustical ceiling fixture that provides a diagonal shape and dimension to an exposed industrial or gypsum ceiling. Each 4'x4' pre-assembled module is easily attached to a Unistrut channel or into decking using aircraft cable and then fastens together to make a repeatable waffle grid. The unique folded felt pattern gives the lightweight shape rigidity and thickness while the material and geometry provide excellent NRC performance. The WAFL baffle also has an option to accept a 4' linear LED light that creates a direct downlight with the appearance of an indirect illuminated glow.

Application	Ceiling Suspended			
	L	W	H	WEIGHT
WAFL BAFL	48"	48"	12"	16 lbs.
*WAFL BAFL - LIT	48"	48"	12"	16 lbs.

*Weight does not include light. Single light = 8.8 lbs.

Hardware

Default: 18mm Spike Bracket, Griplock, Aircraft Cable/Threaded Rod

Unistrut*: Unistrut, Cone Nut Assembly, Threaded Rod/Aircraft Cable, Coupler Nut, Griplock

Drop Ceiling*: T-Bar Clip/Magnet, Coupler Nut, Hanger Bolt, Spike Bracket

* Available Upon Request

Material Content 9 mm 100% PET (55% recycled content)

Flammability

ASTM E84 Class A or B

Acoustics

Frequency (Hz)	250	500	1K	2K	NRC
NRC	0.74	1.02	1.38	1.87	1.25
Sabins per m ²	4.20	5.80	7.88	10.67	

Test was conducted while product was in its actual installation setting.

All NRC testings assumes one face/one object and does not account for the product thickness.

Environment

Low VOC;
Post-Consumer Recycled Content
100% Recyclable

Installation

WAFL BAFL comes with installation brackets for easy connectivity and quick install. Griplocks and Aircraft Cable are included. The ceiling fastener is provided by an installer.

Country of Origin

USA


Warranty

2 Years

fräsch!

609 112th Street, Suite A
Arlington, TX 76011

WAFL BAFL Dimensions



WALF BAFL Dimensions

