



## BELL

Fräsch was founded on the belief that creating healthy and beautiful office environments leads to a happier and highly motivated workforce.



# BELL

## Acoustical Ceiling Lighting

Bell is a modern, acoustical overhead light designed from beautiful PET sound-absorbing material. Sure to start a conversation, this light fixture will also help keep the noise down with its natural sound dampening properties. Bell is perfect for the office, lounge, lobby, or anywhere else you want to use acoustics in an unexpected way.

**Application** Ceiling Suspended

	Dia.	H	WEIGHT
<b>BELL</b>	34"	22"	10 lbs.

### Hardware

Default: Aircraft Cable/Threaded Rod, Coupler Nut, Griplock, Hanger Bolt

\* Unistrut: Unistrut, Cone Nut Assembly, Threaded Rod/ Aircraft Cable, Coupler Nut, Griplock

(\* ) - Upon Request

**Material Content** 9 mm 100% PET (55% recycled content)

**Flammability** ASTM E84 Class A or B

### Acoustics

Frequency (Hz)	250	500	1K	2K	NRC
<b>NRC</b>	0.04	0.16	0.63	0.63	<b>0.75</b>
<b>Sabins per m<sup>2</sup></b>	0.27	1.07	2.71	4.18	

Test was conducted while product was in its actual installation setting.

All NRC testings assumes one face/one object and does not account for the product thickness.

### Environment

Low VOC;  
Post-Consumer Recycled Content  
100% Recyclable

### Installation

BELL Light comes with a detachable mounting plate and can be installed, with the provided mounting screws, to the ceiling.

### Country of Origin

USA

### Warranty

2 Years

**fräsch!**

609 112th Street, Suite A  
Arlington, TX 76011

## Swatches

---



03 - Light  
Gray

9mm Fella

\* Due to the "heathered" effect of the material, slight and consistent variations in color may be present.

\*\* These are printed colors and will incur an extra charge.

\*\*\* Fräsch warrants all products to be free of defects in materials and craftsmanship for two years from the date of purchase to the original customer. See our two-year warranty sheet for full details.

**fräsch!**

609 112th Street, Suite A  
Arlington, TX 76011